



National Unit Specification: general information

UNIT Installation of Trunking Systems (SCQF level 6)

CODE F5J0 12

SUMMARY

This Unit is intended for candidates with little or no prior knowledge of electrical trunking systems but who wish to gain an understanding of these systems and develop skills in their fabrication and installation.

The aim of this Unit is to develop candidate's knowledge and understanding of trunking systems and to develop also their fabrication and assembly skills. The Unit will develop the candidate's understanding of the techniques of trunking installation in relation to the requirements of the Wiring Regulations BS7671. It will also give candidates an understanding of circuit and wiring diagrams and develop their ability to wire circuits using single-core PVC cables.

Candidates will also be introduced to circuit testing and be provided with opportunities to carry out basic circuit inspection and testing procedures.

This Unit may form part of an National Qualification Group Award or may be offered on a free-standing basis.

OUTCOMES

- 1 Interpret the requirements for trunking systems and single-core PVC wiring in terms of the Wiring Regulations BS7671 and state the advantages and limitations of trunking systems.
- 2 Demonstrate the skills and techniques used in the fabrication, assembly and installation of trunking systems.
- 3 Interpret wiring requirements from circuit diagrams.
- 4 Demonstrate the skills and techniques used when installing, inspecting and testing circuit wiring enclosed in trunking systems.

Administrative Information

Superclass: XJ

Publication date: March 2009

Source: Scottish Qualifications Authority

Version: 01

© Scottish Qualifications Authority 2009

This publication may be reproduced in whole or in part for educational purposes provided that no profit is derived from reproduction and that, if reproduced in part, the source is acknowledged.

Additional copies of this Unit Specification can be purchased from the Scottish Qualifications Authority. Please contact the Customer Contact Centre, telephone 0845 279 1000.

National Unit Specification: general information (cont)

UNIT Installation of Trunking Systems (SCQF level 6)

RECOMMENDED ENTRY

While entry is at the discretion of the centre, candidates would normally be expected to have attained one of the following or equivalent:

- ◆ Standard Grade Mathematics — Credit Level
- ◆ Standard Grade Technological Studies — Credit Level
- ◆ Standard Grade Physics — Credit Level
- ◆ NQ Unit *Installation of Trunking Systems* SCQF level 5
- ◆ NQ Unit *Inspection and Testing of Electrical Installations* SCQF level 5

CREDIT VALUE

1 credit at SCQF level 6 (6 SCQF credit points at SCQF level 6*).

**SCQF credit points are used to allocate credit to qualifications in the Scottish Credit and Qualifications Framework (SCQF). Each qualification in the Framework is allocated a number of SCQF credit points at an SCQF level. There are 12 SCQF levels, ranging from Access 1 to Doctorates.*

CORE SKILLS

There is no automatic certification of Core Skills in this Unit.

This Unit provides opportunities for candidates to develop aspects of the following Core Skills:

- ◆ Problem Solving (SCQF level 6)
- ◆ Numeracy (SCQF level 6)

These opportunities are highlighted in the Support Notes of this Unit Specification.

National Unit Specification: statement of standards

UNIT Installation of Trunking Systems (SCQF level 6)

Acceptable performance in this Unit will be the satisfactory achievement of the standards set out in this part of the Unit Specification. All sections of the statement of standards are mandatory and cannot be altered without reference to SQA.

OUTCOME 1

Interpret the requirements for trunking systems and single-core PVC wiring in terms of the Wiring Regulations BS7671 and state the advantages and limitations of trunking systems.

Performance Criteria

- (a) Identify and interpret correctly the BS7671 requirements for trunking and trunking systems.
- (b) Identify and interpret correctly the BS7671 requirements for single-core PVC wiring enclosed in trunking.
- (c) State correctly the advantages and limitations of metallic and non-metallic trunking systems.

OUTCOME 2

Demonstrate the skills and techniques used in the fabrication, assembly and installation of trunking systems.

Performance Criteria

- (a) Identify correctly types of metallic and non-metallic trunking and their accessories.
- (b) Measure, cut, bend and set both non-metallic and metallic trunking to given dimensions.
- (c) Demonstrate the assembly and installation of trunking systems using non-metallic and metallic trunking to given specification requirements and dimensions.

OUTCOME 3

Interpret wiring requirements from circuit diagrams.

Performance Criteria

- (a) Identify correctly the circuit diagrams for both a two-way controlled lighting outlet point and a two-way and intermediate controlled lighting outlet point.
- (b) Describe clearly the operation of the circuits for both a two-way controlled lighting outlet point and a two-way and intermediate controlled lighting outlet point.
- (c) Draw correctly from given circuit diagrams, the wiring diagrams of both a two-way, and a two-way and intermediate switching arrangements each controlling two lighting points.
- (d) State correctly the cross sectional area and colour of single-core cables in both two-way, and two-way and intermediate lighting circuits, to comply with the requirements of BS7671.

National Unit Specification: statement of standards (cont)

UNIT Installation of Trunking Systems (SCQF level 6)

OUTCOME 4

Demonstrate the skills and techniques used when installing, inspecting and testing circuit wiring enclosed in trunking systems.

Performance Criteria

- (a) Install and terminate the wiring for a lighting circuit having two outlet points controlled by a two-way switching arrangement, using single-core PVC cable enclosed in a non-metallic trunking system, complying with the requirements of BS7671.
- (b) Install and terminate the wiring for a lighting circuit having two outlet points controlled by a two-way and intermediate switching arrangement, using single-core PVC cable enclosed in a metallic trunking system, complying with the requirements of BS7671.
- (c) Carry out the inspection of both the two-way controlled lighting circuit enclosed in a non-metallic trunking system and the two-way and intermediate controlled lighting circuit enclosed in a metallic trunking system, in accordance with the requirements of BS7671.
- (d) Carry out the appropriate testing of both the two-way controlled lighting circuit enclosed in a non-metallic trunking system and the two-way and intermediate controlled lighting circuit enclosed in a metallic trunking system, in accordance with the requirements of BS7671.
- (e) Carry out the functional testing of both the two-way controlled lighting circuit enclosed in a non-metallic trunking system and the two-way and intermediate controlled lighting circuit enclosed in a metallic trunking system, correctly.

EVIDENCE REQUIREMENTS FOR THIS UNIT

Evidence is required to demonstrate that candidates have achieved all Outcomes and Performance Criteria.

Performance evidence supplemented with an assessor observation checklist and written and/or recorded oral evidence should be produced to demonstrate that the candidate has achieved all the Outcomes and Performance Criteria. The evidence should be produced under supervised, controlled conditions in a practical environment throughout the duration of the Unit.

Candidates should be permitted to use the Wiring Regulations BS7671 as a reference document throughout the assessment.

An appropriate form of assessment could be a single, holistic practical assignment which incorporates all the Outcomes and Performance Criteria.

Candidates should be presented with two 'installation specifications' for the assessment of this Unit:

- (i) a trunking system comprising of non-metallic trunking and a circuit diagram showing two lighting points controlled by a two-way switching arrangement
- (ii) a trunking system comprising of metallic trunking and a circuit diagram showing two lighting points controlled by a two-way and intermediate switching arrangement

The wiring systems should be connected to the energy supply through a consumer's Unit having appropriate circuit protection.

National Unit Specification: statement of standards (cont)

UNIT Installation of Trunking Systems (SCQF level 6)

From this information contained in the ‘specifications’ the candidate should produce a wiring system for each specification in order to:

- ◆ identify 50 x 38mm, 50 x 50mm and 75 x 50 mm metallic trunking and 25 x 16 mm and 75 x 25mm non-metallic trunking and their accessories to include couplers and lids
- ◆ demonstrate the techniques of measuring, cutting, bending (90° flat and internal) and setting both non-metallic and metallic trunking to given dimensions
- ◆ demonstrate the assembly and installation of trunking systems using non-metallic and metallic trunking to given specification requirements and dimensions
- ◆ identify correctly the circuit diagrams for both a two-way controlled lighting outlet point and a two-way and intermediate controlled lighting outlet point
- ◆ describe accurately the operation of the circuits for both a two-way controlled lighting outlet point and a two-way and intermediate controlled lighting outlet point
- ◆ draw correctly from given circuit diagrams, the wiring diagrams of both the two-way and the two-way and intermediate switching arrangements, each controlling **two** lighting points
- ◆ state correctly the cross sectional area and colour of single-core PVC cables in two-way, and two-way and intermediate lighting circuits, to comply with the requirements of BS7671
- ◆ install and terminate the wiring for a lighting circuit having two outlet points controlled by a two-way switching arrangement, using single-core PVC cable enclosed in a non-metallic trunking system, complying with the requirements of BS7671
- ◆ install and terminate the wiring for a lighting circuit having two outlet points controlled by a two-way and intermediate switching arrangement, using single-core PVC cable enclosed in a metallic trunking system, complying with the requirements of BS7671
- ◆ inspect both the two-way controlled lighting circuit enclosed in a non-metallic trunking system and the two-way and intermediate controlled lighting circuit enclosed in a metallic trunking system, in accordance with the requirements of BS7671
- ◆ test both the two-way controlled lighting circuit enclosed in a non-metallic trunking system and the two-way and intermediate controlled lighting circuit enclosed in a metallic trunking system, in accordance with the requirements of BS7671
- ◆ carry out the functional testing of both the two-way controlled lighting circuit enclosed in a non-metallic trunking system and the two-way and intermediate controlled lighting circuit enclosed in a metallic trunking system to ensure they operate correctly

National Unit Specification: statement of standards (cont)

UNIT Installation of Trunking Systems (SCQF level 6)

In addition to the production of the wiring systems as specified above, the candidates should also provide written and/or recorded oral evidence taken at a single assessment event lasting no more than 45 minutes, under controlled, supervised conditions which demonstrate an ability to:

With regard to Outcome 1:

- ◆ three advantages and three limitations of both non-metallic and metallic trunking systems should be stated
- ◆ four BS7671 requirements for trunking systems and single-core PVC wiring should be identified
- ◆ two BS7671 requirements for trunking and trunking systems should be interpreted
- ◆ two BS7671 requirements for single-core PVC wiring enclosed in trunking should be interpreted

With regard to Outcome 2:

- ◆ two types of metallic and two types of non-metallic trunking should be identified
- ◆ four accessories for use with metallic trunking and four for use with non-metallic trunking should be identified

(Candidates should have access to the Wiring Regulations BS7671 publication during this assessment event).

National Unit Specification: support notes

UNIT Installation of Trunking Systems (SCQF level 6)

This part of the Unit Specification is offered as guidance. The support notes are not mandatory.

While the exact time allocated to this Unit is at the discretion of the centre, the notional design length is 40 hours.

GUIDANCE ON THE CONTENT AND CONTEXT FOR THIS UNIT

This is an optional Unit within the National Qualification Group Award in Electrical Engineering at SCQF level 6 but may be offered on a free-standing basis.

This aim of this Unit is to develop candidate's knowledge and understanding of trunking systems and to develop also their fabrication and installation skills.

This Unit will enable candidates to develop their understanding of the techniques of trunking installation in relation to the requirements of the Wiring Regulations BS 7671. It will also give candidates an understanding of circuit and wiring diagrams and develop their ability to wire circuits using single-core PVC cables. Candidates will also be introduced to circuit testing and be provided with opportunities to carry out basic circuit testing procedures.

The lecturer **MUST** ensure that the candidate works safely at all times and that the wiring arrangements have been tested and are correct, prior to the circuits being energised.

This Unit has links with the technology Units in the National Certificate in the Electrical Engineering award and may be delivered as part of the suite of 'Wiring System' Units.

GUIDANCE ON LEARNING AND TEACHING APPROACHES FOR THIS UNIT

This Unit should be delivered in a practical environment and should encourage candidates to become familiar with the terminology of the trunking installations, wiring techniques and testing procedures.

Opportunities should be provided to allow candidates to develop their practical skills in the fabrication and installation of trunking wiring systems.

This practical approach should be continued to allow candidates to develop their interpretation of wiring and circuit diagrams and their ability to work between these. Basic installation testing procedures should also be carried out by candidates undertaking this Unit.

The requirements of the relevant Wiring Regulations BS7671 should be taught in conjunction with the development of the candidate's skills and understanding of trunking systems.

Candidates should be able to identify the hand tools used in the construction of trunking and wiring systems and be taught the correct use. They should also be familiar with testing instruments and their uses.

It is important that this Unit is delivered in a practical manner which develops the candidate's skills and understanding of trunking systems, circuit and wiring diagrams and inspection and testing procedures along with the appropriate requirements of BS7671.

National Unit Specification: support notes (cont)

UNIT Installation of Trunking Systems (SCQF level 6)

The Outcomes should be delivered in the sequence given in the ‘statement of standards’. The practical aspects of these Outcomes should be demonstrated to candidates with the reasons for particular techniques being fully explained. Candidates should then be given opportunities to practice these techniques.

Tutors **MUST** always ensure that candidates work in a safe manner and the Health and Safety workshop procedures of the centre should be continually emphasized and implemented.

Tutors MUST also satisfy themselves that ALL circuit wiring produced by candidates has been inspected and tested in accordance with the requirements of BS7671 and that NO circuit is connected to the supply voltage until these requirements have been fully met.

It is recommended that the supply voltage used to energise candidate circuits is of a suitable safe value.

OPPORTUNITIES FOR CORE SKILL DEVELOPMENT

All aspects of the Core Skill of *Problem Solving* will be developed and enhanced as candidates apply their knowledge and understanding to a complex practical task. Candidates must translate given information to demonstrate the assembly and installation of trunking systems and the installation of wiring for lighting circuits. Safety regulations and requirements must be adhered to as work is planned, organised and completed efficiently. Limitations and benefits of various techniques and approaches may be discussed with the assessor during basic circuit inspection and testing procedures.

As they assemble and install trunking systems to given specification requirements candidates interpret and produce wiring diagrams and also perform a series of complex calculations and measurements. Numeracy skills will be naturally enhanced, with a focus on the practical application of number and graphics. Formative activities should be designed around electrical engineering contexts.

GUIDANCE ON APPROACHES TO ASSESSMENT FOR THIS UNIT

Opportunities for the use of e-assessment

E-assessment may be appropriate for some assessments in this Unit. By e-assessment we mean assessment which is supported by information and communications technology (ICT), such as e-testing or the use of e-portfolios or e-checklists. Centres which wish to use e-assessment must ensure that the national standard is applied to all candidate evidence and that conditions of assessment as specified in the Evidence Requirements are met, regardless of the mode of gathering evidence. Further advice is available in *SQA Guidelines on Online Assessment for Further Education (AA1641, March 2003)*, *SQA Guidelines on e-assessment for Schools (BD2625, June 2005)*.

National Unit Specification: support notes (cont)

UNIT Installation of Trunking Systems (SCQF level 6)

The assessment of this Unit could take the form of a Practical Assignment which extends over the duration of the Unit.

This assignment could contain the four elements specified in the Unit Outcomes ie:

- ◆ interpreting the requirements of the Wiring Regulations BS7671 for trunking systems and single-core PVC wiring
- ◆ fabrication, assembly and installation of trunking systems
- ◆ interpreting wiring requirements from circuit diagrams
- ◆ installing, inspecting and testing circuit wiring enclosed in trunking systems

These four elements could be integrated into one practical assignment with the achievements of each element being clearly recorded for each candidate.

The practical assignment could be conducted in a workshop environment under supervised and controlled conditions.

The written and/or recorded oral evidence could be gathered by means of a short-answer and/or multi-choice question paper conducted under controlled, supervised conditions.

Candidates should be allowed access to the Wiring Regulations BS7671 for reference purposes.

The Health and Safety of candidates must be paramount at all times and the tutor must be responsible for ensuring that all wiring carried out for assessment purposes is of a sufficiently high standard that it meets all the necessary BS7671 requirements prior to connection of the supply voltage.

CANDIDATES WITH DISABILITIES AND/OR ADDITIONAL SUPPORT NEEDS

The additional support needs of individual candidates should be taken into account when planning learning experiences, selecting assessment instruments, or considering alternative Outcomes for Units. Further advice can be found in the SQA document *Guidance on Assessment Arrangements for Candidates with Disabilities and/or Additional Support Needs* (www.sqa.org.uk).