



2015 Biology

Intermediate 1

Finalised Marking Instructions

© Scottish Qualifications Authority 2015

The information in this publication may be reproduced to support SQA qualifications only on a non-commercial basis. If it is to be used for any other purposes written permission must be obtained from SQA's NQ Assessment team.

Where the publication includes materials from sources other than SQA (secondary copyright), this material should only be reproduced for the purposes of examination or assessment. If it needs to be reproduced for any other purpose it is the centre's responsibility to obtain the necessary copyright clearance. SQA's NQ Assessment team may be able to direct you to the secondary sources.

These Marking Instructions have been prepared by Examination Teams for use by SQA Appointed Markers when marking External Course Assessments. This publication must not be reproduced for commercial or trade purposes.

Part One: General Marking Principles for Biology Intermediate 1

This information is provided to help you understand the general principles you must apply when marking candidate responses to questions in this Paper. These principles must be read in conjunction with the specific Marking Instructions for each question.

- (a) Marks for each candidate response must always be assigned in line with these general marking principles and the specific Marking Instructions for the relevant question. If a specific candidate response does not seem to be covered by either the principles or detailed Marking Instructions, and you are uncertain how to assess it, you must seek guidance from your Team Leader/Principal Assessor. *You can do this by posting a question on the Marking Team forum or by e-mailing/phoning the e-marker Helpline.*
- (b) Marking should always be positive ie, marks should be awarded for what is correct and not deducted for errors or omissions.

GENERAL MARKING ADVICE: Biology Intermediate 1

The marking schemes are written to assist in determining the “minimal acceptable answer” rather than listing every possible correct and incorrect answer. The following notes are offered to support Markers in making judgements on candidates’ evidence, and apply to marking both end of unit assessments and course assessments.

1. There are no **half marks**. Where three answers are needed for two marks, normally one or two correct answers gain one mark. The Marking Instructions will show how marks should be allocated in questions worth more than one mark.
2. In the mark scheme, if a word is **underlined** then it is essential; if a word is **(bracketed)** then it is not essential.
3. In the mark scheme, words separated by/are **alternatives**.
4. There are occasions where the second answer negates the first and no marks are given. There is no hard and fast rule here, and professional judgement must be applied. The marking instructions cover these eventualities, wherever possible.
5. ‘Bad Biology’ should not result in a mark being awarded. Often, an otherwise correct answer can be negated by a response which is biologically wrong.
6. Where questions on data are in two parts, if the second part of the question is correct in relation to an incorrect answer given in the first part, then the mark can often be given. The general rule is that candidates should not be penalised repeatedly.
7. If a numerical answer is required and units are not given in the stem of the question or in the answer space, candidates must supply the units to gain the mark. If units are required on more than one occasion, candidates should not be penalised repeatedly.

8. Clear indication of understanding is what is required, so:
- if a description or explanation is asked for, a one word answer is not acceptable
 - if the questions ask for **letters** and the candidate gives words and they are correct, then give the mark
 - if the question asks for a word to be **underlined** and the candidate circles the word, then give the mark
 - if the result of a calculation is in the space provided and not entered into a table and is clearly the answer, then give the mark
 - **chemical formulae** are acceptable eg CO₂, H₂O
 - words not required in the syllabus can still be given credit if used appropriately eg Rhesus negative.
9. Incorrect **spelling** can be given. Sound out the word(s),
- if the correct item is recognisable then give the mark
 - if the word can easily be confused with another biological term then **do not** give the mark eg antibodies instead of antibiotics
 - if the word is a mixture of other biological words then **do not** give the mark, eg dormination.
10. **Presentation of Data:**
- if a candidate provides two graphs or bar charts (eg one in the question and another at the end of the booklet), mark both and give the higher score
 - if the question asks for a line graph and a histogram or bar chart is given, then do not give the mark(s) for the plots. Credit can be given for labelling the axes correctly, or inserting an appropriate scale
 - where a line graph is plotted, the individual points should be joined by a straight line, directly connecting adjacent points. A line of best fit is not acceptable, unless specifically asked for
 - if the data on the horizontal and vertical axes are transposed, then do not give the mark for labelling axes. A mark may be awarded for plots if the plots are accurate and are plotted against an appropriate scale
 - if the graph used less than 50% of the axes, then do not give the mark
 - if 0 is plotted when no data is given, then do not give the mark (ie candidates should only plot the data given). The same applies if the plots in a line graph continue past the highest value provided, unless candidates have been asked to predict a point beyond the data provided
 - no distinction is made between bar charts and histograms for marking purposes. (For information: bar charts should be used to show discontinuous features, have descriptions on the x axis and have separate columns; histograms should be used to show continuous features; have ranges of numbers on the x axis and have contiguous columns)
 - where data is read off a graph it is often good practice to allow for acceptable minor errors. Any tolerance in an answer is given in the Marking Instructions
 - when plotting points on a line graph, no 'daylight' should appear between the plotted point and the place on the grid corresponding to where the plot should be
 - when joining points on a line graph, a single line should be drawn between adjacent plots – do not accept a thick, shaded line or double line

- when plotting a bar chart or histogram, all bars should have a clearly drawn horizontal line across the top AND no 'daylight' should be visible between the drawn line and the place on the grid corresponding to where the line should be drawn. Furthermore, plotting only horizontal bars without supporting 'sides' to the bar is insufficient
- always check the additional graph paper or pie chart provided towards the end of the question paper
- when drawing a pie chart, the same principles apply – no 'daylight', no double lines etc
- although candidates are instructed to use ink throughout (to increase legibility of scanned images), some may have used pencil. Use the zoom facility to ensure marks are read appropriately. A marker should refer paper directly to the Team Leader by checking the 'Referral' box on the marking screen if they think the image is difficult to read accurately or if they cannot see a graph but suspect it may have been drawn faintly.

11. **Marking from Image: Recording Marks**

The question (or part of a question) which is being marked is highlighted. Ensure the mark awarded is entered into the correct box adjacent to the space for the answer. Where the candidate has made no attempt to answer the question, a dash (-) should be entered in the box. Otherwise insert the mark awarded or 0 if the answer is not correct and no mark is awarded.

12. **Annotating scripts:**

- a mark, zero or a dash (-) is required in each box
- you use the draw tools ✓, ✗ or underline to indicate on the scripts a correct answer or part of answer or an incorrect answer or part of an answer.

13. **Use of language**

- It is not possible to list every possible way in which candidates may provide a correct answer eg increases, gets higher, gets bigger etc all mean the same and, if correct, the mark should be awarded.
- Candidates often use colloquial or casual language and, where there is no ambiguity and a biological term is not required, the mark should be awarded eg where 'lower leaves removed' is an acceptable answer and the candidate's answer is 'chop off the lower leaves', the mark should be awarded.

14. **Interpreting an answer**

- Candidates frequently provide part of an answer which implies the answer provided in the Marking Instructions. A mark should not be awarded if the marker has to 'do the work' or has to make an assumption about what the candidate might have intended with their response.
- Where a conclusion is required, do not accept a re-statement of the results – some form of interpretation of the results to form a conclusion is always required.

15. **Biologically correct answers**

Where a candidate provides an answer which is correct biologically and is an appropriate answer to the question, the mark should be awarded, even if the exact answer is not provided in the Marking Instructions.

16. One-off answers not covered by the Marking Instructions

- If a response is not covered by the Marking Instructions, consider whether this answer is equivalent to the acceptable answer and if so, award the mark and make a record of your decision as another candidate may have answered in the same way and it is important that you are consistent in your marking.
- If you cannot make a decision, check if the Markers' Forum has a submission which addresses this issue.
- Always consider the Markers' Forum as a source of support and a repository for decisions which you have made.
- You are encouraged to make a decision and to be consistent in applying your decision.
- If a decision cannot be made, however, refer the paper directly to the Team Leader by checking the 'Referral' box on the marking screen.

2015 Biology Intermediate 1

Part Two: Marking Instructions for each Question

Section A


Question	Expected Answer(s)	Max Mark
1	C	1
2	B	1
3	B	1
4	C	1
5	D	1
6	C	1
7	B	1
8	D	1
9	B	1
10	A	1
11	D	1
12	D	1
13	A	1

Question	Expected Answer(s)	Max Mark
14	A	1
15	A	1
16	C	1
17	D	1
18	A	1
19	B	1
20	B	1
21	D	1
22	D	1
23	B	1
24	C	1
25	C	1


Section B

Question			Expected Answer(s)	Max Mark	Additional Guidance															
1	(a)	(i)	<u>Plants</u> and <u>animals</u> Both required for 1	1	Additional information, even if correct, negates an otherwise correct answer.															
		(ii)	<u>Between 1928 and 1940</u> Both dates required for 1	1	Additional information, even if correct, negates an otherwise correct answer.															
		(iii)	10 (%)	1																
	(b)		<u>Resistance</u>	1																
	(c)		<u>Antifungal</u>	1																
2	(a)	(i)	<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Temperature (°C)</th> <th>Enzyme activity (%)</th> </tr> </thead> <tbody> <tr> <td>20</td> <td>15</td> </tr> <tr> <td>30</td> <td>40</td> </tr> <tr> <td>40</td> <td>100</td> </tr> <tr> <td>50</td> <td>30</td> </tr> <tr> <td>60</td> <td>5</td> </tr> <tr> <td>70</td> <td>3</td> </tr> </tbody> </table>		Temperature (°C)	Enzyme activity (%)	20	15	30	40	40	100	50	30	60	5	70	3	1	
		Temperature (°C)	Enzyme activity (%)																	
20	15																			
30	40																			
40	100																			
50	30																			
60	5																			
70	3																			
2 correct for 1																				
		(ii)	40°C	1																
	(b)		Bacteria	1																
	(c)		Reduces chance of/prevents allergic reaction/(skin) rash	1																

Question			Expected Answer(s)	Max Mark	Additional Guidance														
3	(a)	(i)	(It gets) <u>firmer</u>	1	Need comparative term – ‘firm’ alone is insufficient.														
		(ii)	28(°C) 5.5 Both correct = 1	1															
	(b)		<u>Rennet</u>	1															
	(c)	(i)	3.0 to 4.5 Both correct = 1	1															
		(ii)	<u>7:1</u>	1															
4	(a)		Yeast	1															
	(b)			2	Additional ✓ in a column negates an otherwise correct response.														
			<table border="1"> <thead> <tr> <th rowspan="2">Features of beers</th> <th colspan="2">Type of beer</th> </tr> <tr> <th>Cask conditioned</th> <th>Brewery conditioned</th> </tr> </thead> <tbody> <tr> <td>Yeast is not removed</td> <td>✓</td> <td></td> </tr> <tr> <td>Alcohol is produced</td> <td>✓</td> <td>✓</td> </tr> <tr> <td>Extra carbon dioxide is added</td> <td></td> <td>✓</td> </tr> </tbody> </table>			Features of beers	Type of beer		Cask conditioned	Brewery conditioned	Yeast is not removed	✓		Alcohol is produced	✓	✓	Extra carbon dioxide is added		✓
Features of beers	Type of beer																		
	Cask conditioned	Brewery conditioned																	
Yeast is not removed	✓																		
Alcohol is produced	✓	✓																	
Extra carbon dioxide is added		✓																	
			1 mark per correct column																

Question			Expected Answer(s)	Max Mark	Additional Guidance
5	(a)	(i)	The greater the height, the higher the (Scottish average) peak flow or lower the height, the lower the (Scottish average) peak flow.	1	A statement of a reading from the graph is insufficient – eg the average peak flow of a person of 150cm in height is 400 l/minute. 'Peak flow affects the height' is not acceptable.
		(ii)	Above Scottish average Scottish average Below Scottish average	<input checked="" type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	1
	(b)		Asthma	1	Any other medically correct condition
6	(a)			1	No bent lines, no 'daylight'.
					 <p> <input type="checkbox"/> Non-Smokers <input type="checkbox"/> Smokers </p> <p>Correct size of segments and correct shading = 1</p>
	(b)		Any one of drinking alcohol, drug misuse etc.	1	Inclusion of an additional incorrect answer negates an otherwise correct answer. 'Drinking' alone is insufficient. 'Alcohol' alone is acceptable.

Question			Expected Answer(s)	Max Mark	Additional Guidance												
7	(a)	(i)	44(Kg)	1													
		(ii)	4/four (times greater)	1													
	(b)			2													
			<table border="1"> <thead> <tr> <th>Statement</th> <th>True</th> <th>False</th> <th>Correction</th> </tr> </thead> <tbody> <tr> <td>During exercise, <u>carbon dioxide</u> uptake in the muscles is increased.</td> <td></td> <td>✓</td> <td>oxygen</td> </tr> <tr> <td>Muscle fatigue occurs when <u>insufficient</u> oxygen is available to the muscles.</td> <td>✓</td> <td></td> <td></td> </tr> </tbody> </table>	Statement	True	False	Correction	During exercise, <u>carbon dioxide</u> uptake in the muscles is increased.		✓	oxygen	Muscle fatigue occurs when <u>insufficient</u> oxygen is available to the muscles.	✓				
Statement	True	False	Correction														
During exercise, <u>carbon dioxide</u> uptake in the muscles is increased.		✓	oxygen														
Muscle fatigue occurs when <u>insufficient</u> oxygen is available to the muscles.	✓																
			One mark per correct row.														
8	(a)			2													
			<table border="1"> <thead> <tr> <th>Physiological measurement</th> <th>Instrument</th> </tr> </thead> <tbody> <tr> <td>Body fat</td> <td><u>skin fold callipers/body fat sensor</u></td> </tr> <tr> <td><u>Temperature</u></td> <td>clinical thermometer</td> </tr> <tr> <td><u>Blood pressure</u></td> <td>digital sphygmomanometer</td> </tr> </tbody> </table>	Physiological measurement	Instrument	Body fat	<u>skin fold callipers/body fat sensor</u>	<u>Temperature</u>	clinical thermometer	<u>Blood pressure</u>	digital sphygmomanometer						
Physiological measurement	Instrument																
Body fat	<u>skin fold callipers/body fat sensor</u>																
<u>Temperature</u>	clinical thermometer																
<u>Blood pressure</u>	digital sphygmomanometer																
			3 ✓ = 2 marks 1,2 ✓ = 1 mark 0 ✓ = 0 marks														
	(b)	(i)		1													
			<table style="width: 100%; border: none;"> <tr> <td style="border: none; text-align: center;"> { <u>nutrients</u> waste </td> <td style="border: none; text-align: center;"> { carbon dioxide <u>oxygen</u> </td> </tr> </table>	{ <u>nutrients</u> waste	{ carbon dioxide <u>oxygen</u>												
{ <u>nutrients</u> waste	{ carbon dioxide <u>oxygen</u>																
		(ii)		1													
			<table style="width: 100%; border: none;"> <tr> <td style="border: none; text-align: center;"> { <u>carbon dioxide</u> oxygen </td> <td style="border: none; text-align: center;"> { nutrients <u>waste</u> </td> </tr> </table>	{ <u>carbon dioxide</u> oxygen	{ nutrients <u>waste</u>												
{ <u>carbon dioxide</u> oxygen	{ nutrients <u>waste</u>																
			One mark per correct <u>pair</u> of responses.														

Question			Expected Answer(s)	Max Mark	Additional Guidance														
9	(a)	(i)	2 (minutes)	1	Units not required. 2 – 4 minutes is unacceptable.														
		(ii)	1.5 (litres)	1	Units not required.														
	(b)		<u>69</u> (beats per minute)	1	Units not required.														
10	(a)	(i)	 <p>Number of new flowers</p> <table border="1"> <thead> <tr> <th>Plant Species</th> <th>Number of new flowers</th> </tr> </thead> <tbody> <tr> <td>Fuchsia</td> <td>10</td> </tr> <tr> <td>Tea rose</td> <td>4</td> </tr> <tr> <td>Marigold</td> <td>13</td> </tr> <tr> <td>Chrysanthemum</td> <td>6</td> </tr> <tr> <td>Hydrangea</td> <td>9</td> </tr> </tbody> </table> <p>Correct label and scale on vertical axis = 1 mark Four remaining bars correctly plotted = 1 mark</p>			Plant Species	Number of new flowers	Fuchsia	10	Tea rose	4	Marigold	13	Chrysanthemum	6	Hydrangea	9	2	
		Plant Species	Number of new flowers																
Fuchsia	10																		
Tea rose	4																		
Marigold	13																		
Chrysanthemum	6																		
Hydrangea	9																		
		(ii)	Any valid explanation based on the information provided. For example, we don't know if new flowers were produced on plants that had not been deadheaded OR only five types of plants were used so we don't know if this is true for other types of plants.	1	Reference to reliability is not acceptable.														
	(b)		<u>Potting on</u>	1															

Question			Expected Answer(s)	Max Mark	Additional Guidance
11	(a)	(i)	1) Letters: B and D 1 2) Letter: A 1	2	
		(ii)	Tuber		
	(b)		Mineral: Nitrogen or potassium Importance for plant growth: Leaf or flower/fruit	1	Correct importance for growth must match mineral

Question			Expected Answer(s)	Max Mark	Additional Guidance																
12	(a)	(i)		3	Alternative scale on vertical axis must have plots covering at least half grid. Label must include units Plots all accurate and joined Bar graph – lose plots mark only																
					<table border="1"> <caption>Data from Line Graph</caption> <thead> <tr> <th>Age of seedling (weeks)</th> <th>Mass of 20 Seedlings (g)</th> </tr> </thead> <tbody> <tr><td>Start</td><td>12</td></tr> <tr><td>1</td><td>10</td></tr> <tr><td>2</td><td>6</td></tr> <tr><td>3</td><td>4</td></tr> <tr><td>4</td><td>12</td></tr> <tr><td>5</td><td>30</td></tr> <tr><td>6</td><td>60</td></tr> </tbody> </table> <p>Label on horizontal axis (including units) = 1 mark Scale on vertical axis = 1 mark Accurate plots and join points = 1 mark</p>	Age of seedling (weeks)	Mass of 20 Seedlings (g)	Start	12	1	10	2	6	3	4	4	12	5	30	6	60
Age of seedling (weeks)	Mass of 20 Seedlings (g)																				
Start	12																				
1	10																				
2	6																				
3	4																				
4	12																				
5	30																				
6	60																				
		(ii)	3/three (weeks)	1	Units provided.																
		(iii)	3/three (g)	1	Units provided.																
		(iv)	Any reliability explanation eg Not all of the plants may have grown or equivalent	1																	
	(b)	(i)	Protection/protects (the seed)	1																	
		(ii)	(Embryo) root	1	'Embryo' alone is acceptable. 'Root' alone is acceptable. 'Embryo shoot' is unacceptable.																
	(c)		Suitable temperature/warmth/ oxygen/air	1																	

[END OF MARKING INSTRUCTIONS]