	FOR OFFICIAL USE National Qualification 2018				Mark	
<b>X735/76/01</b> THURSDAY, 10 MAY 1:00 PM – 3:00 PM			Gra		<b>mmuni</b>	
Fill in these boxes and rea	ad what is printed be		Town			
Forename(s)	Surnam	e			Number	of seat
Date of birth Day Month	Year S	cottish can	didat	e number		

Attempt ALL questions.

All dimensions are in mm.

All technical sketches and drawings use third angle projection.

You may use rulers, compasses or trammels for measuring.

In all questions you may use sketches and annotations to support your answer if you wish.


Write your answers clearly in the spaces provided in this booklet. Additional space for answers is provided at the end of this booklet. If you use this space you must clearly identify the question number you are attempting.

Use **blue** or **black** ink.

Before leaving the examination room you must give this booklet to the Invigilator; if you do not, you may lose all the marks for this paper.










(b) The base for the tablet stand was created using tangency and ellipse construction, as shown below.



(ii) the length of the minor axis of the ellipse.

[Turn over


1


1

MARKS DO NOT WRITE IN THIS MARGIN




(c) The base for the tablet stand is to be modelled using 3D CAD. A 2D production drawing of the tablet stand is shown below.






DO NOT WRITE IN THIS MARGIN

Enlargement View B





SECTIONAL END ELEVATION ON A-A



#### MARKS DO NOT WRITE IN THIS MARGIN

## 1. (c) (continued)

Describe the 3D CAD modelling techniques used to create this component. You must make reference to the dimensions shown in the 2D production drawing opposite.


You may use sketches to support your answer.

4



[Turn over

(d) A pictorial view of the support arm for the tablet stand is shown below. Also shown is a 2D production drawing. DO NOT WRITE IN THIS MARGIN





#### MARKS DO NOT WRITE IN THIS MARGIN

## 1. (d) (continued)

Describe the 3D CAD modelling techniques used to create the support arm. You must make reference to the dimensions shown in the 2D production drawing opposite.

You may use sketches to support your answer.

3


[Turn over



(e) A pictorial view of the ball joint for the tablet stand is shown below. Also shown is a 2D production drawing.

Describe the **single** 3D CAD modelling technique used to create the ball joint component. You must refer to the dimensions given in the drawing shown below.


You may use sketches to illustrate your answer.




In order for the ball joint to work effectively a functional tolerance needs to be applied to it.

(f) Using British Standard conventions, apply a diameter tolerance of 10 mm +0.15 and -0.25 to the graphic below.





NO TOLERANCE APPLIED



## TOLERANCE APPLIED



Also

3


MARKS DO NOT

THIS

(g) Two pictorial views of the ball socket for the tablet stand are shown below. Grips were added to help the user adjust the angle of the tablet. Also shown is a 2D production drawing.

Describe the 3D CAD techniques used to create the **grips** on the ball socket component. You must refer to the dimensions given in the drawings shown below.

You may use sketches to support your answer.





. ..

3


			MARKS
(con	tinue	(d)	
		n reviewing the final model of the ball socket, the CAD technician ded to reduce the number of grips on the ball socket from 12 to 10.	
	(i)	Describe how the modelling tree is used to edit the number of grips.	1
			-
	(ii)	Explain why editing the modelling tree is an efficient way of changing the number of grips.	- - 1
			-
			-
		is manufactured abroad. The 3D modelling files are sent electronically nufacturer. The 3D modelling files will be sent in the IGES file format.	- ,
to th	ie ma		
	ie mai (i)	nufacturer. The 3D modelling files will be sent in the IGES file format. Name another suitable 3D modelling file format that could have	1
to th	ie mai (i)	nufacturer. The 3D modelling files will be sent in the IGES file format. Name another suitable 3D modelling file format that could have been used. Explain why using these file formats is advantageous to the	1
to th	ie mai (i)	nufacturer. The 3D modelling files will be sent in the IGES file format. Name another suitable 3D modelling file format that could have been used. Explain why using these file formats is advantageous to the	1
to th	ie mai (i)	nufacturer. The 3D modelling files will be sent in the IGES file format. Name another suitable 3D modelling file format that could have been used. Explain why using these file formats is advantageous to the	1
to th	ie mai (i)	nufacturer. The 3D modelling files will be sent in the IGES file format. Name another suitable 3D modelling file format that could have been used. Explain why using these file formats is advantageous to the	1

L



MARKS DO NOT THIS (continued) 2. The manufacturer has also requested that the production drawings are sent electronically. (b) Explain why it is advantageous to the manufacturer to receive a vector graphic rather than a raster graphic. 1 (c) The production drawings are created by CAD technicians and include several components from a CAD library. Describe two benefits a CAD library offers a CAD technician. 2 (d) (i) State the name of the British Standard symbol shown below. 1 (ii) Explain why this symbol is useful to the manufacturer. 1 [Turn over

X735760111\*




4. Graphics for a spotlight are shown below.




The spotlight casing (part 6) has two raised bosses to allow the mounting bracket (part 4) to be screwed on.

You must refer to the supplementary sheet for use with question 4, provided, to answer all parts of this question.

(a) Calculate the size for dimension X for the boss shown below.




(b) An elevation and end elevation of the spotlight are given below.



(i) A partial view of section G-G is shown below.

Apply hatching to this drawing in accordance with British Standard conventions.



MARKS DO NOT WRITE IN THIS MARGIN

4

MARKS DO NOT THIS (b) (continued) 4. (ii) The thumb screws are available with two types of grips on the heads, straight knurling or diamond knurling. Apply the British Standard convention for each type of knurling below. 2 STRAIGHT KNURLING DIAMOND KNURLING (c) The thumb screws are replaced with hand screws, which are easier for the user to grip. A rendered illustration and front elevation for the hand screw are shown below. 6 x R2.75 Equi SP on 20 PCD Υ **RENDERED ILLUSTRATION** 6 x R2.5 OF HAND SCREW Equi SP on 20 PCD **ELEVATION** (i) State what PCD stands for in the drawing above. 1 (ii) Calculate the angle Y shown in the drawing above. 1 [Turn over

X735760115\*

MARKS DO NOT THIS Use the draft infographic on the supplementary sheet for use with question 5, 5. provided, to answer all parts of this question. A graphic artist has produced a draft infographic, which gives readers advice on how to save money on their energy bills. (a) Describe how the graphic artist has used **shape** to create **rhythm**. 2 (b) Explain why the graphic artist's use of grid structure is of benefit to the reader. 2 (c) Describe how the graphic artist has created **unity** throughout the graphic. 2 2 (d) Describe how the graphic artist has created **depth** in the graphic.

X735760116\*

Γ			MARKS	DO NOT WRITE IN THIS
5	. (	continued)		MARGIN
	(	e) Describe how the graphic artist has used <b>alignment</b> in the graphic.	2	
			-	
	(1	Describe how the graphic artist has created <b>emphasis</b> in the graphic.	2	
			-	
			-	
		[Turn over		
L		* X 7 3 5 7 6 0 1 1 7 *		 

	company already has a large client base for its printed publications and nts to expand to an online style magazine.	
(a)	State two advantages to the consumer, other than cost, of an online publication when compared with a printed publication.	2
(b)	The company will launch an online magazine with the option to view in a variety of languages.	
	Describe how this feature would be of benefit to the company.	1
(c)	The online magazine will be available across a variety of electronic devices.	
	Explain why the choice of <b>typeface</b> is an important aspect for the company to consider when creating the online magazine.	2



L

6.	(cor	ntinued)		MA
	(d)	When choosing the typeface, the graphic designers considered different serif and sans serif fonts.		
		Describe the main characteristics of <b>serif</b> fonts.	1	
		You may use sketches to support your answer.		
	(e)	The company stores its graphics library in the cloud. Describe <b>two</b> advantages of cloud based storage for graphic designers.	2	
		[Turn over		



6.		ntinue		MARKS	DO NO WRITE THIS
			lesktop published magazine page on the <b>supplementary sheet for question 6 (f)–(j)</b> , provided, to answer the following questions.		MARGI
	(f)		in how the following DTP features have been used on the desktop shed magazine page.		
		(i)	Transparency	1	
		(ii)	Colour picking	1	
	(g)		<b>p cap</b> has been used on the desktop published magazine page.	2	
				L	
	(h)		rea has been used on the desister published measuring page		
	(1)		<b>rse</b> has been used on the desktop published magazine page. ribe the use of <b>reverse</b> in the desktop published magazine page.	2	
					l

Г			MARKS	DO NOT WRITE IN	
6.	(cor	ntinued)		THIS	
	(i)	The graphic designer has used different types of <b>justification</b> on the desktop published magazine page.			
		Explain why the designer has chosen to do this for the main body text.	1		
	(i)	Line has been used on the deskton published magazine page			
	(j)	Line has been used on the desktop published magazine page. Describe how the use of line has been used to enhance the desktop published magazine page.	2		
		[END OF QUESTION PAPER]			
L		* X 7 3 5 7 6 0 1 2 1 *		-	

#### MARKS DO NOT WRITE IN THIS MARGIN

## ADDITIONAL SPACE FOR ANSWERS



#### MARKS DO NOT WRITE IN THIS MARGIN

## ADDITIONAL SPACE FOR ANSWERS



## ACKNOWLEDGEMENTS

Question 3 (a) – EPSTOCK/Shutterstock.com Wanzer/Shutterstock.com

Question 3 (b) - alexandre zveiger/Shutterstock.com





National Qualifications 2018

## X735/76/11

## Graphic Communication Supplementary Sheets


THURSDAY, 10 MAY 1:00 PM – 3:00 PM

Supplementary sheets for use with questions 4(a), 5 and 6(f)-(j).








## Supplementary sheet for use with question 4 (a)












PARTS LIST					
PART NO.	PART NAME	NO. OF PARTS			
1	CEILING FIXING MOUNT	1			
2	FLANGED MACHINE SCREW	3			
3	FIXING COVER	1			
4	MOUNTING BRACKET	1			
5	THUMB SCREW	2			
6	SPOTLIGHT CASING AND GRILL	1			

(5)

Infographic



### Desktop published magazine page

#### Produit:Paris | Editor's word

## Bright Spark!

ulla vestibulum eleifend nulla. Suspendisse potenti. Aliquam turpis nisi, venenatis non, accumsan nec, imperdiet laoreet, lacus. In purus est, mattis eget, imperdiet nec, fermentum congue, tortor. Aenean ut nibh. Nullam hendrerit viverra dolor. Vestibulum fringilla, lectus id viverra malesuada, enim mi adipiscing ligula, et bibendum lacus lectus id sem. Cras risus turpis, varius ac, feugiat id, faucibus vitae, massa. Nunc gravida nonummy felis. Etiam



massa. Nunc gravida nonummy felis. Etiam suscipit, est sit amet suscipit sodales, est neque suscipit erat, nec suscipit sem enim eget leo. In porttitor rutrum leo. Ut eget leo.

Nulla quis nibh. Proin ac pede vel ligula facilisis gravida. Phasellus purus. Etiam sapien. Duis diam urna, iaculis ut, vehicula ac, varius sit amet, mi. Donec id nisl. Aliquam erat volutpat. Integer fringilla. Duis lobortis, quam non volutpat suscipit, magna sem consequat libero, ac hendrerit urna ante id mi. Quisque commodo facilisis tellus. Integer sodales lorem sed nisl. Morbi consectetuer mauris quis odio. Ut dolor lorem, viverra vitae, viverra eu, euismod nec, enim. Lorem ipsum dolor sit amet, consectetuer adipiscing elit.

Morbi nisl eros, dignissim nec, malesuada et, convallis quis, augue. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin aliquam, leo at luctus tempus, eros lectus eleifend massa, quis sollicitudin erat magna non leo. Vestibulum vel metus. Donec sagittis velit vel augue. Fusce in nisl vitae massa venenatis rhoncus. Praesent orci velit, lobortis eget, suscipit semper, congue eu, est. Quisque malesuada volutpat enim. Vestibulum leo sem, molestie a, mattis bibendum, feugiat facilisis, nisl. Nam scelerisque odio. Suspendisse fermentum faucibus felis. Praesent pharetra. In consequat felis in tellus. In mi enim, rhoncus ullamcorper, sagittis at, placerat eget, mauris.

C. Findlay

Best wishes Calum Findlay Editor

Ø



Produit:Parisonline.com

1 | Produit:Paris | issue 120

# **Produit** Paris

#### Inside this month's issue:

congue ac, faucibus ut, erat. Donec sit amet neque. Donec posuere tempus massa. Duis vulputate mauris sit amet purus. Duis vestibulum.





Morbi nisl eros, dignissim nec, malesuada et, convallis quis, augue. Vestibulum ipsum primis in faucibus luctus et ultrices posuere cubilia Curae; Proin aliquam, leo at.



 $\odot$ 

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE

### ACKNOWLEDGEMENTS

Q6 Magazine Layout – Smiling man: ESB Professional/Shutterstock.com Rocking chair: Robert Kneschke/Shutterstock.com Light bulbs: grmarc/Shutterstock.com Antique silver jewellery: Ti Santi/Shutterstock.com

Q6 Magazine Layout – Facebook logo.

SQA has made every effort to trace the owners of copyright materials in this question paper, and seek permissions. We will be happy to incorporate any missing acknowledgements. Please contact question.papers@sqa.org.uk.

Q6 Magazine Layout – Twitter logo.

SQA has made every effort to trace the owners of copyright materials in this question paper, and seek permissions. We will be happy to incorporate any missing acknowledgements. Please contact question.papers@sqa.org.uk.