

National Qualifications 2019

X840/76/12

Human Biology Paper 1 — Multiple choice

TUESDAY, 30 APRIL 9:00 AM – 9:40 AM

Total marks — 25

Attempt ALL questions.

You may use a calculator.

Instructions for the completion of Paper 1 are given on *page 02* of your answer booklet X840/76/02.

Record your answers on the answer grid on page 03 of your answer booklet.

Space for rough work is provided at the end of this booklet.

Before leaving the examination room you must give your answer booklet to the Invigilator; if you do not, you may lose all the marks for this paper.





# Total marks — 25 Attempt ALL questions

- A section of DNA containing 8000 bases has 1200 cytosine bases. The number of adenine bases in this section of DNA is
  - A 800
  - B 1200
  - C 1400
  - D 2800.
- 2. Identify the RNA codon and anticodon for the DNA base sequence GAT.

	RNA codon	RNA anticodon
А	СТА	GAT
В	GAT	СТА
С	CUA	GAU
D	GAU	CUA


3. The following sequence shows the order of bases in a segment of mRNA.

A U G A U C G C U A U G A A G A C C G C A G C U

How many different amino acid molecules are coded for by this segment of mRNA?

- A 6
- B 7
- C 8
- D 24

4. The diagram shows three of the stages involved in gene expression.



Which row in the table identifies these stages?

	Stage				
	X Y Z				
Α	translation RNA splicing		transcription		
В	RNA splicing transcription translation		translation		
С	transcription translation RNA splic		RNA splicing		
D	transcription	RNA splicing	translation		

5. The diagram shows the base sequence for a section of a gene and a mutated version of this section.

 section of gene
 CGTATATCCTATGCCCCTGAC


 mutated version
 CGTATATCCTATCCTATCTCCCTGAC

This is an example of

- A a deletion mutation
- B an insertion mutation
- C a substitution mutation
- D a translocation mutation.

6. Enzymes can be used to cut strands of DNA into fragments.

The diagram shows the cutting sites of two different enzymes on a DNA strand that is 40 kilobases (kb) long.




What length of fragments (kb) would be produced if the DNA strand was cut with enzyme X only?

- A 12, 20
- B 12, 28
- C 20, 20
- D 12, 8, 20
- 7. Three applications of human genomics are listed.
  - 1. Comparing genomes to settle paternity disputes
  - 2. Screening a genome for a particular sequence to diagnose disease
  - 3. Using genome information in the choice of effective drug treatments

Which of these applications are examples of pharmacogenetics?

- A 1 only
- B 3 only
- C 2 and 3 only
- D 1, 2 and 3


8. The diagram shows molecules involved in an enzyme controlled reaction.



Which row in the table identifies these molecules?

	Molecule X	Molecule Y	Molecule Z
А	substrate	non-competitive inhibitor	enzyme
В	non-competitive inhibitor	enzyme	substrate
C	substrate	competitive inhibitor	enzyme
D	competitive inhibitor	non-competitive inhibitor	substrate

**9.** The graph shows the results of an investigation into the effects of two different inhibitors on enzyme activity.



substrate concentration

Which of the following conclusions can be drawn from this graph?


- A Inhibitor Z is a competitive inhibitor
- B There is a steady increase in enzyme activity with no inhibitor
- C Inhibitor Y has less effect on enzyme activity than inhibitor Z
- D Increasing substrate concentration increases the effect of both inhibitors

- 10. At the end of the electron transport chain hydrogen ions and electrons combine with
  - A NAD
  - B ATP
  - C water
  - D oxygen.
- 11. Which row in the table describes the generation of ATP in slow-twitch muscle fibres?

	Generation of ATP	Relative number of mitochondria
Α	aerobic respiration	many
В	aerobic respiration	few
С	glycolysis only	many
D	glycolysis only	few

**12.** Two athletes took part in different training programmes. One undertook regular training sessions while the other undertook high intensity interval training (HIIT) sessions.

The graph shows the time taken to complete a run before and after each training programme.




The improvement in performance as a result of HIIT training compared to regular training is

- A 30 s
- B 40 s
- C 50 s
- D 80 s.

[Turn over


13. The diagram represents the female reproductive system.

Which letter indicates the location where an intra-uterine device would be positioned to prevent pregnancy?



14. The diagram shows the inheritance of haemophilia, a blood clotting disorder, in three generations of a family.

Haemophilia is caused by a sex-linked recessive allele.




Individuals P and Q are expecting a third child.

What is the percentage chance that this child will have haemophilia?

- A 0%
- B 25%
- C 50%
- D 75%

**15.** The graph shows how increasing oxygen uptake affects heart rate and stroke volume.




What is the cardiac output when the rate of oxygen uptake is 0.6 litres/minute?

- A  $1.50 \text{ cm}^3/\text{min}$
- B 8000 cm<sup>3</sup>/min
- C 9600 cm<sup>3</sup>/min
- D 10 000 cm<sup>3</sup>/min
- 16. Increased blood flow within an artery is the result of smooth muscle
  - A relaxation causing vasodilation
  - B contraction causing vasodilation
  - C relaxation causing vasoconstriction
  - D contraction causing vasoconstriction.

[Turn over

**17.** The graphs contain information about the population of the United Kingdom.



How many males aged between 50–59 years die from coronary heart disease annually in the United Kingdom?

- A 400
- B 9000
- C 12000
- D 21000

**18.** Which row in the table identifies components of the central and peripheral nervous systems?

	Central nervous system		Peripheral ne	rvous system
A	spinal cord	brain	somatic	medulla
В	brain	spinal cord	sympathetic	somatic
С	parasympathetic	brain	spinal cord	sympathetic
D	sympathetic	parasympathetic	brain	spinal cord

- 19. Transfer of information between cerebral hemispheres occurs through the
  - A medulla
  - B glial cells
  - C myelin sheath
  - D corpus callosum.
- **20.** The following statements refer to events that occur at a synapse.
  - 1. An impulse is generated
  - 2. Acetylcholine diffuses across the synaptic cleft
  - 3. Acetylcholine is broken down by an enzyme
  - 4. Acetylcholine is released from storage vesicles

In which sequence do these events occur?

- A 4  $\longrightarrow$  2  $\longrightarrow$  3  $\longrightarrow$  1
- B 1  $\longrightarrow$  2  $\longrightarrow$  4  $\longrightarrow$  3
- $C \quad 4 \longrightarrow 2 \longrightarrow 1 \longrightarrow 3$
- $D \quad 2 \longrightarrow 4 \longrightarrow 3 \longrightarrow 1$
- 21. A function of glial cells is the production of
  - A axons
  - B myelin
  - C dopamine
  - D noradrenaline.

**22.** A drug trial was carried out to study the effect of a drug on mice.

A group of mice, with an average body mass of 20 g, were given 1 mg per kg of their body mass of the drug. The drug was given twice a day for 15 days.

What was the total mass of drug given to each mouse over the 15 days?

- A 0.02 mg
- B 0.04 mg
- C 0.30 mg
- D 0.60 mg
- **23.** Multiple sclerosis (MS) is an autoimmune disease in which lymphocytes destroy the myelin sheath.

Which row in the table shows the type of lymphocyte involved and the effect on the speed of nerve impulse transmission?

	Type of lymphocyte	Speed of nerve impulse transmission
Α	В	increased
В	В	decreased
C	Т	increased
D	Т	decreased

24. The table shows the number of cases of a disease and the number of deaths resulting from this disease in a country over four years.


In which year did the greatest percentage of deaths occur?

	Year	Number of cases	Number of deaths
А	2014	1070	45
В	2015	420	12
C	2016	1960	60
D	2017	2290	90

**25.** Forty individuals were selected to take part in a clinical trial for a new drug to treat a lung condition.

They were split into two groups. One group was treated with the drug while the other group was treated with a placebo.

Which row in the table would have allowed a valid comparison of the treatments?



### [END OF QUESTION PAPER]

## SPACE FOR ROUGH WORK

## SPACE FOR ROUGH WORK

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE

Please note that the answer grid for the objective (multiple-choice) test cannot be completed digitally and is not provided in a digital version for the examination. Under examination conditions, the paper copy of the answer grid is completed and passed to the Invigilator with the print-out of the digital script. The following answer booklet is a copy of the print version.

	National Qualificat 2019	tions			Mark	
X840/76/02		P	aper	1 — M	uman B <sup>.</sup> ultiple o swer bo	choice
TUESDAY, 30 APRIL						
9:00 AM – 9:40 AM						
Full name of centre			Town			
Forename(s)	Sur	name			Number	of seat
Date of birth						
Day Mont	h Year	Scottish c	andidate	e number		
Instructions for the com						

Record your answers on the answer grid on page 03.

You may use a calculator.

Use **blue** or **black** ink.

Before leaving the examination room you must give your answer booklet to the Invigilator; if you do not, you may lose all the marks for this paper.





The questions for Paper 1 are contained in the question paper X840/76/12.

Read these and record your answers on the answer grid on page 03.

Use **blue** or **black** ink. Do NOT use gel pens or pencil.

- 1. The answer to each question is **either** A, B, C or D. Decide what your answer is, then fill in the appropriate bubble (see sample question below).
- 2. There is only one correct answer to each question.
- 3. Any rough working should be done on the space for rough work at the end of the question paper X840/76/12.

### Sample question

The digestive enzyme pepsin is most active in the


- A mouth
- B stomach
- C duodenum
- D pancreas.

The correct answer is **B** — stomach. The answer **B** bubble has been clearly filled in (see below).



### Changing an answer

If you decide to change your answer, cancel your first answer by putting a cross through it (see below) and fill in the answer you want. The answer below has been changed to **D**.



If you then decide to change back to an answer you have already scored out, put a tick ( $\checkmark$ ) to the **right** of the answer you want, as shown below:





# Human Biology

I		Α	В	С	D	I
	1	0	0	0	0	
	2	0	0	0	0	
	3	0	0	0	0	
	4	$\circ$	0	0	0	
	5	0	0	0	0	
	6	$\bigcirc$	0	0	0	
	7	0	0	0	0	
	8	0	0	0	0	
	9	0	0	0	0	
	10	$\bigcirc$	0	0	0	
	11	$\bigcirc$	0	0	0	
	12	0	0	0	0	
	13	0	0	0	0	
	14	0	0	0	0	
	15	0	0	0	0	
	16	0	0	0	0	
	17	0	0	0	0	
	18	0	0	0	0	
	19	0	0	0	0	
	20	0	0	0	0	
	21	0	0	0	0	
	22	0	0	0	0	
	23	0	0	0	0	
	24	0	0	0	0	
I	25	0	0	0	0	



page 03

[BLANK PAGE]

DO NOT WRITE ON THIS PAGE



L

page 04

	FOR OFFICIAL USE					
	National Qualificatio 2019	ons			Marl	<
X840/76/01				Н	uman B P	Biology aper 2
TUESDAY, 30 APRIL 10:10 AM – 12:30 PM					X 8 4 0 7	
Fill in these boxes and re Full name of centre	ead what is printed	below.	Town			
Forename(s)	Surna	me			Number	of seat
Date of birth Day Mont	h Year	Scottish ca	ndidate	number		

Attempt ALL questions.

You may use a calculator.

Question 14 contains a choice.


Write your answers clearly in the spaces provided in this booklet. Additional space for answers and rough work is provided at the end of this booklet. If you use this space you must clearly identify the question number you are attempting. Any rough work must be written in this booklet. Score through your rough work when you have written your final copy.

Use blue or black ink.

Before leaving the examination room you must give this booklet to the Invigilator; if you do not, you may lose all the marks for this paper.










1.	(con	tinued)	MARKS	DO NOT WRITE IN THIS MARGIN
	(c)	Stem cells can be cultured in the laboratory for research purposes. State <b>one</b> way in which stem cells are used in research.	1	
		Scientists have recently found a way of converting skin cells into embryonic stem cells. Suggest why this is an advantage from an ethical viewpoint.	1	
		[Turn over		
I				





(a) Each stage of PCR is temperature dependent.Complete the table for stages 1 and 3.

2

Stage	Temperature (°C)	Reason
1	95	
3		To allow replication of DNA



2. (0	ontinued)	N
(t	) Each PCR cycle produces two copies of a section of DNA.	
	This PCR cycle takes 3 seconds.	
	Calculate how long it would take for at least 2000 copies of the original section to be produced.	1
	Space for calculation	
	s	
(c	) Describe the role of primers in stage 2 and stage 3.	2
	Stage 2	
	Stage 3	
(0	) PCR was first used to help solve a crime in 1986.	
	Suggest why PCR can now be used to help solve a crime committed in 1980, where only a small blood spot was found as evidence.	1
	[Turn over	

page 05

The live	diagram shows some of the stages in the breakdown of alcohol by the	MARKS DO WR MA
alcoho	$\xrightarrow{enzyme 1} acetaldehyde \xrightarrow{enzyme 2} intermediate \xrightarrow{enzyme 3} acetyl (toxic compound) compound group$	
(a)	Use information from the diagram to explain how alcohol can be used as a substrate in respiration.	2
(b)	Some individuals cannot produce enough fully functioning enzyme 2.	
	<ul> <li>(i) In these individuals an altered form of enzyme 2 is produced due to a missense mutation.</li> </ul>	
	Suggest why this altered form of enzyme 2 works less well than the unaltered form.	1
	(ii) Explain why these individuals are less tolerant of alcohol.	1
(c)	A drug that acts as a competitive inhibitor of enzyme 2 can be prescribed to treat alcoholism.	
	Explain how this drug will affect the enzyme.	1


Γ

L



4. A protein supplement is used by some people who take part in sport. They believe its use increases muscle mass and therefore improves performance in sporting activities such as weightlifting.

An investigation was carried out to test if protein supplements improved the ability of the upper leg muscles to raise weights.



A class of 20 students was divided into two groups, A and B. The groups were balanced for age, gender, fitness level and body mass.

Each student carried out 10 weeks of regular training on the apparatus.

Students in group A took a daily dose of a protein supplement.

Students in group B took a daily dose of a placebo.

All students had their results recorded every 2 weeks for 10 weeks, by measuring the maximum weight that could be raised using the apparatus shown in the diagram.

(a) State **two** additional variables, other than those described above, that would need to be controlled during this investigation.

1\_\_\_\_\_

2

MARKS | DO NOT

THIS MARGIN

2\_\_\_\_\_

[Turn over



page 07

3

1

## 4. (continued)


(b) The results from the investigation are shown in **Table 1**.

#### Table 1

	Average maximum weight raised (kg)					
Time(weeks)	0	2	4	6	8	10
Group						
A (protein supplement)	52	57	64	72	86	95
B (placebo)	50	55	60	68	74	80

(i) Draw a line graph to show all the data in Table 1.

(Additional graph paper, if required, can be found on *page 30*)



(ii) State the conclusion that can be drawn from these results.



4.	(b)	(con	tinued)	MARKS	DO NOT WRITE IN THIS MARGIN
		(iii)	Suggest a reason for the increase in performance of Group B.	1	
				_	
	(c)		average body mass and percentage body fat of the students wa sured at the start of the investigation and after 10 weeks.	- S	

The measurements for each group are shown in Table 2.

### Table 2


Group	Measurement	Start (0 weeks)	After 10 weeks
A	body mass (kg)	60.7	62.5
(protein supplement)	body fat (%)	28.3	23.8
В	body mass (kg)	60.5	61.3
(placebo)	body fat (%)	27.9	25.8

Use the data to explain why taking protein supplements resulted in a greater increase in muscle mass.

[Turn over

2







			MARKS	DO NOT WRITE IN
5.	(cor	tinued)		THIS MARGIN
	(d)	Some individuals are unable to produce the enzyme glucose-6-phosphate dehydrogenase.		
		Use information from the diagram to explain why this would reduce cell division in these individuals.	2	

ſ

[Turn over



- 6. (a) The diagram shows part of a testis.
  seminiferous tubule *i* Use the letter T to label a cell in the diagram that produces testosterone.
  (i) Describe two functions of testosterone.
  - 2\_\_\_\_\_
  - (iii) Describe how negative feedback control raises the concentration of testosterone in the blood if it has fallen to a low level.

2

1

2

THIS




			MARKS	DO NOT WRITE IN THIS
6.	(coi	ntinued)		MARGIN
	(b)	Artificial insemination (AI) and intra-cytoplasmic sperm injection (ICSI) are fertility treatments that may be used if a man has a low sperm count.		
		Describe how each of these treatments increases the chance of fertilisation.	2	
		AI	-	
			-	
		ICSI	-	
			-	
			-	

ſ

[Turn over







## 7. (a) (continued)

(ii) Calculate how many 34 year old women in a sample of 1000 would be predicted to get pregnant using IVF.

Space for calculation

- (b) Some women are given the option to use eggs from a donor when undergoing IVF. This can increase their chances of becoming pregnant and giving birth.
  - (i) The table shows the birth rates for women of different ages after undergoing IVF using donor eggs.

Age (years)	22	26	30	34	38	42	46
Birth rate (%)	46	64	60	58	54	48	40

Using data in the table and graph, calculate the difference in birth rate for women aged 38 when using donor eggs rather than their own eggs.

Space for calculation

- (ii) Suggest why older women undergoing IVF are more likely to produce a child when using donor eggs rather than their own eggs.
- (c) Some women undergoing IVF consent to pre-implantation genetic diagnosis (PGD) of their embryos.

Explain why PGD is offered to some women.



[Turn over

MARKS DO NOT WRITE IN THIS MARGIN

1

1

1

1


%

MARKS DO NOT THIS Adenosine deaminase (ADA) deficiency is an autosomal recessive disorder 8. that affects the immune system. It is caused by a mutation in the gene that codes for this enzyme. (a) Describe the difference between an autosomal disorder and a sex-linked 1 disorder. (b) The chart shows the inheritance of ADA deficiency in two families. family 1 family 2 Key affected male P affected female unaffected male unaffected female Q R (i) State the genotype of individual P using 'a' to represent the allele for ADA deficiency. 1 (ii) Individuals Q and R plan to have a child together. Use information from the chart to explain why it is difficult to 1 predict the chances of their child having the disorder.

X 8 4 0 7 6 0 1 1 6 \*

		MARKS
(cor	ntinued)	
(c)	Individuals with ADA deficiency have severely reduced numbers of lymphocytes. They can be treated by a bone marrow transplant.	:
	Suggest how this treatment can help to restore a functional immune system.	1
		-
(d)	Amniocentesis and chorionic villus sampling (CVS) are examples of antenatal tests that can be carried out.	:
	Describe an advantage and a disadvantage of using amniocentesis rather than chorionic villus sampling (CVS).	2
	Advantage	-
	Disadvantage	-
	[Turn over	





9. (co	ntinued)	MARKS	DO NO WRITE THIS MARG
(c)	This man's body contains 5 litres of blood. Calculate the total mass of glucose in his bloodstream at 60 minutes. <i>Space for calculation</i>	1	
	mg	ł	
(d)	(i) The glucose tolerance test indicated that this man had type 2 diabetes.		
	Explain why production of insulin did not lower his blood glucose concentration in the first hour of the test.	2	
		-	
		-	
	(ii) Suggest one reason why this man's blood glucose concentration started to decrease after 60 minutes.	1	
(e)	Describe evidence from the graph that indicates this man does <b>not</b> have type 1 diabetes.	- - 1	
(f)	Apart from reducing the sugar intake in his diet, suggest another way in which this man could control his blood glucose levels.	- 1	
		-	
	[Turn over		
			I

MARKS WRITE IN THIS MARGIN

1

1

1

**10.** (a) The table shows the death rate from cardiovascular disease (CVD) in groups of men and women in England and Scotland between 2001 and 2013.

	Death rate from CVD (per 100 000)			
	Eng	land	Scot	land
Year	Men	Women	Men	Women
2001	603	402	684	476
2005	490	337	577	406
2009	392	271	450	316
2013	324	221	396	275

(i) Identify the group that shows the greatest percentage decrease in death rate from CVD between 2001 and 2013.

Space for calculation

Group \_\_\_\_\_

(ii) Death rates have decreased in all groups between 2001 and 2013.State another conclusion that can be drawn from the data in the table.

(iii) Express, as a simple whole number ratio, the death rate from CVD in English men compared to Scottish men in 2013.
 Space for coloulation

Space for calculation

English men

Scottish men



:


 10. (a)	(cont	tinued)	MARKS	DO NOT WRITE IN THIS MARGIN
		Explain how the data in the table allows a valid comparison of deaths from CVD between England and Scotland to be made, despite their populations being different sizes.		
(b)	of a	e thousand men took part in a clinical trial to investigate the effect cholesterol reducing drug. Half the men were given the cholesterol cing drug while half were given a placebo.		
	(i)	Describe how a double-blind design could be achieved when setting up the clinical trial.	1	
	(ii)	State what aspect of the design of the study increased the reliability of the results.	1	
	(iii)	Researchers concluded that taking the cholesterol reducing drug decreased risk of death from CVD, as it lowered the concentration of LDLs in the blood.		
		Explain why having a lower LDL concentration in the blood decreases the risk of death from CVD.	2	
		[Turn over		
_		* X 8 4 0 7 6 0 1 2 1 *		-

MARKS DO NOT WRITE IN THIS MARGIN

1

**11.** (a) The water flea, *Daphnia pulex*, is a small invertebrate animal that lives in ponds.

Water fleas can be used as model organisms to investigate the effect of chemicals on heart rate.



A student carried out an investigation to find out how caffeine concentration affects the heart rate of water fleas.

A water flea was placed in a small container of pond water and left for 5 minutes. The container was then placed under a microscope and the water flea videoed for a period of time. The video was analysed and the heart rate of the water flea calculated. This procedure was then repeated using different concentrations of caffeine solutions.

Caffeine concentration (g/l)	Heart rate of water flea (bpm)
0	135
0.2	185
0.4	220
0.6	245
0.8	270
1.0	270

The results of the investigation are shown in the table.

(i) Suggest why the student left the water flea in the solution for 5 minutes before videoing its heart rate.



MARKS DO NOT WRITE IN THIS MARGIN 11. (a) (continued) (ii) Suggest why the student videoed the water flea rather than simply counting its heart beat at the time. 1 (iii) Use data from the table to describe the changes that occur in the heart rate as the caffeine concentration increases. 2 (iv) State how the reliability of the results from this investigation could be improved. 1 (b) In humans, describe how the autonomic nervous system increases the heart rate. 3

\* X 8 4 0 7 6 0 1 2 3 \*

	A prphins and dopamine are neurotransmitters that affect mood and aviour.	MARKS	DO NOT WRITE IN THIS MARGIN
(a)	(i) State <b>one</b> activity that increases endorphin production.	1	
	(ii) State one function of endorphins.	1	
(b)	Parkinson's disease is associated with a loss of dopamine-producing neurons in the brain. It cannot be treated by taking dopamine. Describe a possible mode of action of a drug that could be used to treat this disease.	1	




L

#### 12. (continued)

(c) The diagram shows synapses from the brains of two individuals.

Individual X has never taken recreational drugs while individual Y has used a recreational drug for a long time.



- (i) Describe how the recreational drug has acted on the synapse of individual Y.
- (ii) Describe how changes to the synapses of individual Y will affect their drug-taking behaviour.

[Turn over


MARKS DO NOT WRITE IN THIS MARGIN

1



MARKS DO NOT THIS The diagram represents a section of human skin punctured by a splinter of 13. wood. splinter epithelial cells (a) (i) Describe one way in which these epithelial cells defend the body 1 against pathogens. (ii) Name structure X. 1 (b) The inflammatory response involves the release of the chemical histamine. (i) Name the cells that release histamine. 1 (ii) Explain why the skin around a puncture wound often becomes red and swollen. 1 (c) Lymphocytes are part of the specific defence system of the body. (i) Explain how a lymphocyte is able to recognise a particular pathogen. 1





			MARKS	DO NOT WRITE IN THIS
14.	Atte	empt <b>either</b> A <b>or</b> B. Write your answer in the space below and on <i>page 29</i> .		MARGIN
	А	Discuss the encoding, storage and retrieval of information in memory.	9	
	OR			
	В	Describe vaccination and discuss its role in establishing herd immunity in a population.	9	
	You	may use labelled diagrams where appropriate.	elled diagrams where appropriate.	

Γ



#### MARKS DO NOT WRITE IN THIS MARGIN


## ADDITIONAL SPACE FOR ANSWER to question 14

# [END OF QUESTION PAPER]



#### ADDITIONAL SPACE FOR ANSWERS AND ROUGH WORK

Additional graph paper for question 4 (b)(i)





#### MARKS DO NOT WRITE IN THIS MARGIN

### ADDITIONAL SPACE FOR ANSWERS AND ROUGH WORK



J

### ADDITIONAL SPACE FOR ANSWERS AND ROUGH WORK

Acknowledgement of copyright Question 11 Lebendkulturen.de/shutterstock.com

